

The patented Diamond K
Applicator is a revolutionary
breakthrough in soil and water
application technology. Easy to
use and maintenance free, it
eliminates expensive solution
grade equipment and works
with all irrigation systems.

CONTACT INFORMATION 435.896.8870

1720 South Red Hills Drive, Richfield, Utah 84701 **diamondkgypsum.com** 



**MAINTENANCE FREE** - With only one moving part, Diamond K's applicators are virtually maintenance-free. Using water pressure alone, our applicator needs no agitation. The patented wobbler is a rotary action sprinkling device used to generate a slight vibration to disperse water upon the dry product.



**EASY TO USE** - Easy to read metering gauge permits accurate injection of fertigation into irrigation water. Application is constant throughout the irrigated areas, with no fluctuation in concentration. Soil and water analysis determines the required application rate for maximum crop benefit.



**BEST ON THE MARKET** - Designed specifically for turning Diamond K quality fertilizer products into solution. Works seamlessly with Diamond K Premium 97 Gypsum, Ultra Fines Sulfate of Potash, KMS, and other products.



A SIZE TO FIT EVERY NEED - Our revolutionary applicator is available in 3 sizes: 1200 lb./175 gallons; 2000 lb./325 gallons or 4000 lb./525 gallons.



**AT A PRICE THAT MAKES SENSE** - At less than half the cost of other solution applicators on the market, our patented applicator makes fertigation a breeze.

## **TECHNICAL DATA**

## Diamond K Applicators



## All Diamond K Applicators can be loaded with the following methods:

• Hand Loading using 50 lbs bags

For parts or service please contact us.

- Bulk Silo with metered or manual auger
- Tote bags via Forklift
- Tender cart

## **Product Specifications**

	175 Gallon Applicator	325 Gallon Applicator	525 Gallon Applicator
Dry Product Capacity	1200 lb	2000 lb	4000 lb
Dimensions	42" Diameter x 49" Height / 53" with pallet	60" Diameter x 51" Height / 55" with pallet	60" Diameter x 75" Height / 80" with pallet
Note	Applicator fits on a 40x48 pallet and will not overhang the pallet.	Applicator sits on 48x48 pallet with 2.5" overhang	Applicator sits on 48x48 pallet with 2.5" overhang
Stand Info	10" Clearance 42" Stand width	18" Clearance 47" Stand width	18" Clearance 47" Stand width
Applicator Weight Total with Pallet	180 lb 230 lb	320 lb 370 lb	330 lb 380 lb